



How to Submit Pack Spec for Cummins Owned – Standard Returnables

Ronnie Hickling

Version: 1
July 12, 2024

External

Preparation: Before Starting...

- **Note:** Before starting pack spec, please prepare all necessary information regarding...
 - Part(s): Part Image(s), Dimensions, Weight, Pieces/Container, Annual Volume.
 - Primary Container (optional): Container Image(s), Dimensions, Weight, Packaging Material Spec Details, PCR Content %.
 - Dunnage (optional): Dunnage Image(s), Quantity, Weight, Packaging Material Spec Details, PCR Content %.
 - Standard Returnable Container: Container Type and its Dimensions
 - Returnable Dunnage (optional): Dunnage Image(s), Quantity, Weight, Packaging Material Spec Details.
 - Unit Load: Unit Load Image(s), Dimensions.
 - Sample of Shipping Label/Part Label.

Standard Returnable Containers – Sample Images

Bulk Container



Handheld Tote



Bulk Container Lid



Pallet Top Cap





Creating a New Pack Spec

- Click on the **Pack Specs** tab on the home page



2) Visit the **Pack Specs** tab to create and submit the packaging specification details for your parts

- Click **New** to create a new pack spec/PDS (Packaging Data Sheet)



Creating a Returnable Pack Spec

- Select “Returnable” from the packaging **Type** dropdown
- **Expendable** – single-use packaging (corrugated, paper, paperboard, plastic film, etc.)
- **Returnable** – reusable packaging (bulk containers, plastic totes, metal, wood)

☐ **Cummins owned**

- Standard; Bulk Container, Totes, Plastic Pallet, Top Cap
- Customized; Returnable packaging solution which are tailored to specific part/site/supplier requirements.

☐ **Supplier owned**; Assets are owned by suppliers and utilizes CMI returnable loop system

☐ **Leased**; Assets are owned by third party companies, and utilizes CMI returnable loop system

- Select preferred unit of measure from the **UOM** dropdown to enter the information.

- **Imperial** – In/Lb/Mils
- **Metric** – mm/kg/Microns

- Click “Next”

Next

The screenshot shows a multi-step form for creating a returnable pack spec. The first step, labeled '* Type', has a dropdown menu with options: '--None--', '--None--', 'Expendable', and 'Returnable'. The 'Returnable' option is highlighted. The second step, labeled '* Returnable Type', has a dropdown menu with options: 'Cummins Owned', 'None', 'Cummins Owned', 'Supplier Owned', and 'Leased'. The 'Cummins Owned' option is highlighted. The third step, labeled '* Cummins Owned Returnable Type', has a dropdown menu with options: '--None--', '--None--', 'Customize', and 'Standard'. The 'Standard' option is highlighted. The fourth step, labeled '* UOM', has a dropdown menu with options: '--None--', '--None--', 'Imperial (In/Lb/Mils)', and 'Metric (mm/Kg/Microns)'. The 'Imperial (In/Lb/Mils)' option is highlighted. The form is annotated with colored boxes: a red box around the '* Type' label, a green box around the 'Cummins Owned' option in the second dropdown, a yellow box around the 'Standard' option in the third dropdown, and a blue box around the '* UOM' label in the fourth dropdown.

Parts


When adding one and multiple parts together

Adding One Part

- Prepare digital photos or graphics of the part
- Dimensions, Weight, Pieces/container (Expendable), Pieces/container (Returnable), Annual volume

Adding Multiple Parts

- Be sure to maintain the same packaging style and materials for all parts
 - Add as many parts as desired to one pack spec



Add New vs. Select Existing

- Click **Add New Part** when adding a part for the first time
 - Please complete the mandatory details
 - Use **help text** to find out more details on necessary information

- **Select Existing** – previously saved parts can be searched from the parts repository and can be added to a pack spec

- Click “Add” to proceed

Previous

Add



Parts

▼ Pack Spec - Part

Add multiple parts to this Pack Spec only if you are using the same Packaging materials and packing style. If not, please create a separate Pack Spec.

Add New Part

Select Existing

Edit Part

Delete Part

* Part Number ⓘ

* Part Name ⓘ

* Length (in)

* Width (in)

* Height (in)

* Weight (lb) ⓘ

* Pieces/Container (Expendable) ⓘ

* Pieces/Container (Returnable) ⓘ


* Annual Volume ⓘ

Upload Part Images

Note: You can close the window at any point; all information will be saved

- **Upload** part image(s)

- Click **Next** to proceed



The screenshot shows a web application interface for uploading part images. At the top, there is a navigation bar with tabs: 'Pack Specs', 'Parts', 'Specifications', and 'More'. A search bar is located on the right side of the navigation bar. A pink callout box points to a close button (X) in the top right corner of the application window. The main content area is titled 'Parts' and contains the instruction: 'Insert a digital photo or graphic of an 'unpackaged' single Part.' Below this, there is a 'File Options' section with two buttons: 'Upload' (highlighted in red) and 'Search'. Under the 'Upload' button, there is a dashed box containing an upload icon, the text 'Upload Files', and the text 'Or drop files'. A red rectangle highlights this dashed box. Below the 'File Options' section, there is a section titled 'Uploaded Images' which is currently empty. At the bottom right of the main content area, there is a red 'Next' button highlighted with a blue rectangle.

Add Multiple Parts

Parts

✓ Pack Spec - Part

Add multiple parts to this Pack Spec only if you are using the same Packaging materials and packing style. If not, please create a separate Pack Spec.

Add New Part

Select Existing

Edit Part

Delete Part

- Repeat instructions from pages 6-8 to add as many parts as needed

- Click “Next” to proceed

Previous

Next

Receiving Location

- Enter a plant name or location, and hit “Enter” key

Or

- Select a country, state, and/or city from the dropdowns provided
- Select **Next** to proceed

Previous

Next

Receiving Locations

▼ Search Location

You can add multiple Cummins locations only if the Packaging material and packing style remains the same for all selected locations. If not, please create a separate Pack Spec

 Search Locations

Search when location hits the 'enter' key

Country

Select Country ▼

State

Select State ▼

City

Select City ▼

Receiving Location

Note: You can close the window at any point; all information will be saved

- **Add** multiple Cummins locations if needed

Packaging material and style must remain the same for all additional locations

- **Delete** selected locations if needed

- Click **Next** to proceed

Receiving Locations

▼ Receiving Locations

You can add multiple Cummins locations only if the Packaging material and packing style remains the same for all selected locations. If not, please create a separate Pack Spec

Add Location(s) **Delete Selected Location(s)**

Locatio...	City	State	Country	Street	Postal ...
CDJ_Cummins Japan, Ltd - Tokyo, Japan , Tokyo , Tokyo	Tokyo	Japan			

Previous **Next**

Placing Parts in Returnable Container

Pack Spec - Returnable

* How are parts placed in the Returnable container (Tote/Bulk/Custom RET container)?

- ☒ Parts are placed inside Expendable Primary packaging and Returnable container is used as Secondary
- ☐ Parts are placed directly inside the Returnable Container

Option 1:

Go to [Types of Expendable Primary Containers](#)



Parts are packed into an expendable container, which is placed inside a returnable container, **with or without dunnage.**

Option 2:

Go to [Cummins Standard Returnable Container Catalog](#)



Parts are packed directly into a returnable container, **with or without dunnage.**

Types of Expendable Primary Containers - Sample Images and Necessary Info

Corrugated Box	Paper Board Box	Polybag	Clamshell
			
• External Dimensions & Tare Weight? • Flute Configuration? • Burst/ECT? • Container Style? • Corrugated Type? • PCR Content%	• External Dimensions & Tare Weight? • PCR Content%	• Dimensions & Weight? • Thickness? • PCR Content%	• Dimensions & Weight? • Thickness? • PCR Content%

PCR Content

- **Post-Consumer Recycled (PCR) Content %**
 - Details required regardless of packaging material
- Ask your supplier about PCR Content % information
 - If PCR is 0%, enter this value and proceed
 - If PCR > 0%, enter this value and provide evidence



The screenshot shows a form field titled '* Post-consumer recycled (PCR) Content %' with an information icon (i) to its right. A red arrow points from the text 'enter this value' in the list to the input field. Another red arrow points from the text 'provide evidence' in the list to a note box within the information popup. The popup contains the following text: 'Indicate PCR content% present in the material. Add '0' if there is no PCR content.' followed by a note in a red-bordered box: 'Note: For any PCR content present in the packaging material, you need to provide PCR certificate/Specification sheet/ screenshot showing the presence of PCR.'

Adding a Primary Container

- Click **Add New** when adding a primary container for the first time
 - Please complete the mandatory details
 - Use **help text** to find out more details on necessary information

- Select Existing** – previously saved containers can be searched and can be added to a pack spec

- Click “Next” to proceed

A rectangular button bar containing two buttons. The left button is light gray with the text 'Previous' in red. The right button is red with the text 'Next' in white.A header bar for the 'Primary Container' section. It has a title 'Primary Container' on the left. In the center, there are two buttons: 'Add New' (green) and 'Select Existing' (red). On the right, there are two buttons: 'Previous' (light gray) and 'Next' (red).A form titled 'Primary Container Information' with several sections. The 'Container Type' section has a dropdown menu currently showing '--None--'. The 'Dimension, Cost and Weight' section contains input fields for 'External Length (in)', 'External Width (in)', 'External Height (in)', 'Tare Weight (lb)', and 'Cost \$'. The 'Compliance Information' section has an input field for 'Post-consumer recycled (PCR) Content %'. Red boxes highlight the information icons (i) next to the 'Tare Weight (lb)' and 'Post-consumer recycled (PCR) Content %' fields.

Upload Primary Container Images

Note: You can close the window at any point; all information will be saved

- **Upload** primary container image(s)
- Click **Next** to proceed

The screenshot shows a web application interface for uploading a primary container image. At the top, there is a dark red navigation bar with links for 'Pack Specs', 'Parts', 'Specifications', and 'More'. A search bar is located on the right side of the navigation bar. A pink callout box points to a close button (X) in the top right corner of the application window. The main content area is titled 'Primary Container' and contains the instruction 'Please upload primary container image here.' Below this, there is a 'File Options' section with two buttons: 'Upload' (highlighted in red) and 'Search'. Below the 'Upload' button, there is a red-bordered box containing an upload icon and the text 'Upload Files'. To the right of this box is a dashed border area with the text 'Or drop files'. Below the 'File Options' section, there is a section titled 'Uploaded Images' which is currently empty. At the bottom right of the main content area, there is a red 'Next' button highlighted with a blue border.

Upload PCR Content % Images

If PCR% > 0...

- **Upload** image(s) of PCR Certificate/Material Spec details
- Click **Next** to proceed

Primary Container

Please upload Primary container PCR Certificate / Material Spec Details image here.

File Options

Upload Search

Upload Files Or drop files

Uploaded Images

Next

Review Details

- Click **Replace** to replace the primary container and revise container details
- Click **Next** to proceed

Primary Container

Replace

Container Type

Spec Name
rjh_1

Container Type
Corrugated Box

Container Style
Regular Slotted (RSC)

Flute Configuration
C

Corrugated Type
Single Wall-3 layer

Burst/ECT
32

Dimension, Cost and Weight

External Length
8

External Width
6

External Height
8.5

Tare Weight
0.25

Cost \$
0

Compliance Information

Post-consumer recycled (PCR) Content %
25


Previous

Next

Types of Expendable Dunnage – Sample Images and Necessary Info

Airbag Pillow	Antistatic Bag	Bubble Wrap	Clear Plastic Bag – No VCI
			
▪ Material Type? ▪ Weight? ▪ Thickness of Material? ▪ Quantity/Container? ▪ PCR Content % ▪ Material Composition?	▪ Material Type? ▪ Weight? ▪ Thickness of Material? ▪ Quantity/Container? ▪ PCR Content % ▪ Material Composition?	▪ Material Type? ▪ Weight? ▪ Thickness of Material? ▪ Quantity/Container? ▪ PCR Content % ▪ Material Composition?	▪ Material Type? ▪ Weight? ▪ Thickness of Material? ▪ Quantity/Container? ▪ PCR Content % ▪ Material Composition?

Types of Expendable Dunnage – Sample Images and Necessary Info

Die Cut	Foam	Instant Expanding Foam	Layer Pad
			
▪ Material Type? ▪ Weight? ▪ Thickness of Material? ▪ Quantity/Container? ▪ PCR Content % ▪ Material Composition?	▪ Material Type? ▪ Weight? ▪ Thickness of Material? ▪ Quantity/Container? ▪ PCR Content % ▪ Material Composition?	▪ Material Type? ▪ Weight? ▪ Thickness of Material? ▪ Quantity/Container? ▪ PCR Content % ▪ Material Composition?	▪ Material Type? ▪ Weight? ▪ Thickness of Material? ▪ Quantity/Container? ▪ PCR Content % ▪ Material Composition?

Types of Expendable Dunnage – Sample Images and Necessary Info

Paper	Partition Assembly	Tray (single use)	VCI
			
- Material Type? - Weight? - Thickness of Material? - Quantity/Container? - PCR Content % - Material Composition?	- Material Type? - Weight? - Thickness of Material? - Quantity/Container? - PCR Content % - Material Composition?	- Material Type? - Weight? - Thickness of Material? - Quantity/Container? - PCR Content % - Material Composition?	- Material Type? - Weight? - Thickness of Material? - Quantity/Container? - PCR Content % - Material Composition?

Add Dunnage

- Select **Yes** to add dunnage
 - Select **No** if dunnage is not needed in this primary container
 - Give a detailed explanation on why no dunnage is required.
 - Answers such as “not applicable” are unacceptable.
 - If selecting **No**, go to [Adding a Returnable Container](#)
-
- Click **Next** to proceed

Dunnage

* Do you want to add Dunnage?

☒ Yes
☐ No

Previous Next

Dunnage

* Do you want to add Dunnage?

☐ Yes
☒ No


* Please mention why there is no Dunnage required?

Previous Next


Add Dunnage

- Click **Add New** or **Select Existing** to add dunnage to the pack spec
 - Please enter the mandatory details if adding new dunnage

Note: You can close the window at any point; all information will be saved



The screenshot shows a web application window titled "Dunnage". At the top, there are four buttons: "Add New" (green), "Select Existing" (red), "Edit Dunnage" (grey), and "Delete Dunnage" (grey). Below these is a search bar with the placeholder text "Search this list...". Under the search bar, it says "0 items". Below that is a table with columns: "D..", "M..", "P...", "M..", "C..", "L...", "W..", "H..", "W..", "T...", and "Q..". Below the table, it says "No items to display." At the bottom right of the window, there are two buttons: "Previous" (grey) and "Next" (red). A pink circle highlights the close button (X) in the top right corner of the window.



✓ Dunnage Information


* Supplier Internal Part Name/Number

* Dunnage Type

--None--

* Materials

--None--



✓ Dimension, Cost and Weight

Length (in)

Width (in)

Height (in)


* Thickness of Material (mil)

* Weight/Item (lb)

Cost per each (\$)

* Quantity/Container

1



✓ Compliance Information

* Post-consumer recycled (PCR) Content %

* Material Composition

--None--

- Click "Next" to proceed




Previous Next

Upload Dunnage Images

- Specify in the text box the number of dunnage items that will occupy the expendable primary container
- Upload** dunnage image(s)
 - Images must display how dunnage is arranged around part(s) within the container

- Click **Next** to proceed



Dunnage

* Quantity/Container

Previous Next

Dunnage

Please upload Internal Dunnage Image(s) here.

File Options

Upload Search

Upload Files Or drop files

Uploaded Images

Next

Cummins Standard Returnable Container Catalog – NA, EU and UK

48" x 45" x 34" Bulk Container	32" x 30" x 34" Bulk Container	12" x 7" x 5" Handheld Tote	12" x 15" x 7" Handheld Tote	24" x 15" x 7" Handheld Tote
				
24" x 15" x 11" Handheld Tote	32" x 30" Bulk Container Lid	48" x 45" Bulk Container Lid	48" x 45" Pallet Top Cap	
				

Adding a Returnable Container

- Click **Select Existing**
- Select from the ***Materials** dropdown the type of returnable container you would like to use
- Click “Next” to proceed

Returnable Container

Select Existing Delete Container

Returnable Container(s) Search this list...

0 items

M..	D..	R..	T..	L..	W..	H..	C..	W..	P..	C..
-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----

No items to display.

Previous Next

Returnable Container

Container Type

*Materials

--None--

--None--

Bulk Container

Handheld Totes

Bulk Container Lid

Pallet Top Cap

Previous Next

Adding a Returnable Container

- Select one of the Cummins-owned returnable containers from the options provided on the following screen

- Click “Next” to proceed



Returnable Container

Matching Specifications

4 of 4 items • 1 item selected

C... ▾	M... ▾	R... ▾	T... ▾	V... ▾	L... ▾	W... ▾	H... ▾	C... ▾	W... ▾
12" x 07" x 05"									
☒	Handheld Tote	Handheld Totes	North America		0.473	0.276	0.197	0	
Straight Wall									
12" x 15" x 07"									
☐	Handheld Tote	Handheld Totes	North America		0.473	0.591	0.276	0	
Straight Wall									
24" x 15" x 07"									
☐	Handheld Tote	Handheld Totes	North America		0.946	0.591	0.276	0	
Straight Wall									

Returnable Container

Matching Specifications

2 of 2 items • 1 item selected

C... ▾	M... ▾	R... ▾	T... ▾	V... ▾	L... ▾	W... ▾	H... ▾	C... ▾	W... ▾
32" x 30" x 34"									
☒	Container; KnockDown 2 Drop Door; Heavy Duty	Bulk Container	North America		1.261	1.182	1.34	0	
48" x 45" x 34"									
☐	Container; KnockDown 2 Drop Door; Heavy Duty	Bulk Container	North America		1.891	1.773	1.34	0	

Adding a Returnable Container

- Click **Select Existing** and repeat previous steps if additional component is required (pallet top cap, bulk container lid)

- Once the desired returnable container(s) has been selected, click “Next” to proceed



Returnable Container

Select Existing

Delete Container

Returnable Container(s)

1 of 1 item • 0 items selected

M..

D..

R..

T...

L...

W..

H..

C..

W..

P..

C..

32" x 30"

x 34"

Container

;

Bulk Container

KnockDo wn 2

Drop Door;

Heavy Duty

North America

1.261

1.182

1.34

0

0

1

0

Previous

Next

Returnable Container

Returnable Container(s)

2 of 2 items • 0 items selected

M..

D..

R..

T...

32" x 30"

x 34"

Container

;

Bulk Container

KnockDo wn 2

Drop Door;

Heavy Duty

North America

1.261

1.182

1.34

0

0

1

0

32" x 30"

Bulk Container

Lid

North America

1.261

1.182

0

0

0


1

0

External

Cummins | 28

Returnable Dunnage

Dunnage Foam	Dunnage Plastic	Dunnage Wood	Tray (multi-use)
			
▪ Weight? ▪ Quantity/ Container? ▪ Thickness?	▪ Weight? ▪ Quantity/ Container? ▪ Thickness?	▪ Weight? ▪ Quantity/ Container? ▪ Thickness?	▪ Weight? ▪ Quantity/ Container? ▪ Thickness?

Returnable Dunnage?

Note: You can close the window at any point; all information will be saved

- Select **Yes** to add returnable dunnage
 - Select **No** if dunnage is not needed in this returnable container
 - Give a detailed explanation on why no dunnage is required.
 - Answers such as “not applicable” are unacceptable.
 - If selecting No, go to [Backup Expendable Solution?](#)
-
- Click **Next** to proceed

The screenshot shows a web form titled "Returnable Dunnage". At the top right, there is a close button (X) circled in pink, with a pink callout box containing the note: "Note: You can close the window at any point; all information will be saved". The form contains a question: "*Do you want to add Dunnage?". Below this question are two radio button options: "Yes" (which is selected and circled in red) and "No". Below the "No" option is a text input field with the label "*Please mention why there is no Dunnage required?". At the bottom right of the form, there are two buttons: "Previous" and "Next" (which is circled in blue).

Adding Returnable Dunnage

- Click **Add New** or **Select Existing** to add dunnage to the pack spec
 - Select which type of dunnage you would like to add
- Please enter the mandatory details if adding **returnable** dunnage

* Dunnage Type

--None--

✓ Dimension, Cost and Weight

Length (in)

Width (in)

Height (in)

* Thickness of Material (mil)

* Weight/Item (lb)

Cost per each (\$)

* Quantity/Container

1

Returnable Dunnage

Add New

Select Existing

Edit Dunnage

Delete Dunnage

Returnable Dunnage

* Which type of Dunnage you want to add?

Expendable

Returnable

- If adding **expendable** dunnage, refer to [Add Dunnage](#) for necessary details.
- Click “Next” to proceed

Previous

Next

Adding Returnable Dunnage

- Add more dunnage if necessary
- Click **Next** to proceed
- **Upload** dunnage image(s)
- Click **Next** to proceed

Returnable Dunnage

[Add New](#) [Select Existing](#) [Edit Dunnage](#) [Delete Dunnage](#)

Dunnage

1 of 1 item • 0 items selected

D..	M..	P..	M..	C..	L...	W..	H..	W..	T...	Q..
☐	Dunnage Foam	Dunnage Foam	0%	0	0	0	0	0.1	200	1

[Previous](#) [Next](#)

Returnable Dunnage

Please upload Internal Dunnage Image(s) here.

File Options

[Upload](#) [Search](#)

[Upload Files](#) Or drop files


Uploaded Images

[Next](#)

Backup Expendable Solution?

- Select **Yes** if you would like to add a backup expendable packaging solution
 - Note: some Cummins locations require a backup solution.
 - Contact your site's packaging engineer to confirm that location's requirements.
 - **If adding backup solution:** please refer to our work instructions on how to submit an expendable pack spec - <https://supplier.cummins.com/packaging-packaging-data-sheet-pds-guidance>
- Click "Next" to proceed

Note: You can close the window at any point; all information will be saved



The screenshot shows a web form titled "Returnable Solution Backup". At the top right of the form, there is a close button (an 'X' icon) which is circled in pink. A pink callout box points to this button with the text: "Note: You can close the window at any point; all information will be saved". The form content includes the heading "Returnable Solution Backup", a question "* Do you want to add backup Expendable Solution?", and two radio button options: "Yes" (which is selected) and "No". At the bottom right of the form, there are two buttons: "Previous" and "Next".

Preservation and Compliance

Enter all mandatory details by selecting from the dropdown options

Note:

- Preservation requirements
 - First fit Parts: **Minimum – 6 months.**
 - Aftermarket Sites: **Minimum – 18 months.**

Note: You can close the window at any point; all information will be saved

The screenshot shows a web application interface for 'Pack Specs'. The main form is titled 'Pack Spec' and contains a section 'Preservation & Compliance Information'. This section has three dropdown menus, each with an information icon (i) and a red asterisk (*) indicating a mandatory field:

- * Performance Validation: --None--
- * Preservation: --None--
- * Number of Month Preservation: --None--

Three callout boxes provide instructions for these fields:

- * Performance Validation:** Make a selection to indicate which type of validation testing was successfully performed.
- * Preservation:** Indicate the standard reference utilized in the design of the part packaging system proposal and use of any active packaging components (desiccant, VCI, etc).
- * Number of Month Preservation:** Indicate the number of months of part preservation and stable shelf life that can be achieved through the use of protective active packaging components.

A red circle highlights the close button (X) in the top right corner of the form.


Unit Load Info

Enter external dimensions as shipped

- This can be subjective as to how you are shipping to us. For example:
 - Plastic Pallet + boxes stacked
 - Bulk Container
 - Plastic Pallet + Totes

- **Upload** image(s) of unit load ready for shipment

- Click “Next” to proceed



Unit Load Dimensions

Enter external dimension as shipped: Unit load (Pallet + Boxes stacked) or Returnable container or Primary

* Unit Load External Length (in)

* Unit Load External Width (in)

* Unit Load External Height (in)

Unit Load/Image As Shipped

Please upload unit load/image as shipped here.

File Options

Upload Search

Upload Files

Or drop files

Uploaded Images

Unit load



Uploaded Images

Unit load




Previous Next

Shipping and Part Label

- **Upload** shipping or part label image(s)

- Click “Next” to proceed




Shipping and Part Label

Insert image displaying the format and data content compliant with Cummins Global Packaging Standard.

File Options

Upload Search

Upload Files Or drop files



Review and Submit

Note: You can close the window at any point; all information will be saved

To Submit the Pack Spec...

- Select **Submit Now**
- Click “Next” to submit




Previous Next

To Save All Information without submitting...

- Select Review
- Click “Next” or exit out of this page



Previous Next




The screenshot shows a web application interface for reviewing and submitting pack specifications. The top navigation bar includes 'Pack Specs', 'Parts', 'Specifications', and 'More'. A search bar is located on the right. The main content area is titled 'Review/Submit' and contains a section for '* Action' with two radio buttons: 'Submit Now' (selected) and 'Review'. Below this are five text input fields labeled 'CC Email 1' through 'CC Email 5'. A red box highlights the 'Submit Now' radio button, and a red arrow points from the 'To Submit the Pack Spec...' section to it. A pink box highlights the close button (X) in the top right corner, with a pink arrow pointing from the 'Note' text to it. Two black arrows point from the bottom text box to the 'CC Email' input fields.

*Optional: Enter the email ID of anyone wished to be looped into and notified of this pack spec

Review and Submit

- Review the pack spec **summary**
- Please provide comments toward the spec approver
- Click “Submit”



New Pack Spec Creation

You are about to submit the Pack Spec for the approval, please verify all you information before you submit.

▼ Summary

SKU: PRTPDS-027083

Type: Returnable

Supplier ID: 1234567890

* Comments

Submit

Recall and Edit Pack Spec

Pack Spec
P RTPDS-026872

Version Number: 1
Type: Returnable
UOM: Imperial (In/Lb/Mils)
Status: Pending Approval
Submission Date: 6/3/2024
Owner: Test Supplier

Receiving Locations (1)
1 item • Sorted by Location Name • Updated a few seconds ago

#	Location Name	Status	Approve/Reject Comments	State	City
1	RL-27560 CNGE_Cummins Clovis Natural Gas Engine - Clovis, NM , Clovis , N...	Pending Approval		NM	Clovis

View All

If you wish to make changes to a submitted pack spec:

- Click on **Recall**
- Edit the pack spec and submit again

If you wish to make changes to a pack spec in process:

- Click on **Edit**
- Edit and save or submit pack spec info

If You Have Any Questions

- Select the desired pack spec from the **Pack Specs** tab

Post **Question**

* = Required

* Question (Enter up to 255 characters)

What would you like to know?

Details

If you have more to say, add details here...

B I U

To P RTPDS-027406

Ask

	SKU	Status	Part Names	Part Numbers	Superseded By	Type	Returnable Type	Cummins	UOM
1	P RTPDS-027406	Pending Approval	Test0516;test...	Test0516;test 0509		Expendable			Imper
2	P RTPDS-027405	In Process	XYZ	1356		Expendable			Metric
3	P RTPDS-027404	In Process				Expendable			Metric
4	P RTPDS-027351	Recalled	test0620	test0620_2		Expendable			Imper
5	P RTPDS-027296	In Process	xn986_53024	xn986_53024		Returnable	Cummins Owned	Customized	Imper

- Scroll down to the **Question** tab on the right side of the following screen
- Enter a question in the text box provided
- Add details if needed
- Attach image(s)
- Click **Ask** to submit a question to the specified Cummins sites' packaging engineer

